ELSEVIER

Chemistry and Physics of Lipids
77 (1995) 269

Chemistry and Physics
of
LIPIDS

Author index

Volume 77 (1995)

Ahmed, M.K. 77, 193
Alaiz, M. 77, 217
Amidon, B. 77, 131

Bagby, M.O. 77, 187
Banerjee, P. 77, 65
Barragán, S. 77, 217
Bhattacharya, S. 77, 13
Brocca, P. 77, 41
Buse, J.T. 77, 65

Cantu, L. 77, 41
Castle, C.K. 77, 51
Chen, Q. 77, 25

Das, R.M. 77, 193
Dawson, G. 77, 65
de la Maza, A. 77, 79
Denike, J.K. 77, 261
Diehl, B.W.K. 77, 147
Duclos, R.I. 77, 99

Epps, D.E. 77, 51

Fell, A. 77, 25
Ferretti, A. 77, 33
Flanagan, V.P. 77, 33

Hannemann, K. 77, 113
Harris, J.S. 77, 51
Heinz, E. 77, 147
Herbette, L.G. 77, 99
Herling, H. 77, 147
Herrmann, A. 77, 139
Hidalgo, F.J. 77, 1

Janas, T. 77, 89
Janas, T. 77, 89
Joo, J.B. 77, 65
Jürgens, G. 77, 25

Knells, G. 77, 193
Knothe, G. 77, 187

Lacombe, J.-M. 77, 225
Lam, C.C. 77, 155
Lam, J.C.C. 77, 187
Ledinski, G. 77, 25
Lie Ken Jie, M.S.F. 77, 155, 179, 187
Loidl-Stahlhofen, A. 77, 113

Makriyannis, A. 77, 99
Mantsch, H.H. 77, 193
Marschke, C.K. 77, 51
Masserini, M. 77, 253
Miyajima, K. 77, 121
Moll, T.S. 77, 51
Moring, J. 77, 99
Moskova, M. 77, 261
Müller, P. 77, 139

Omodeo-Salè, M.F. 77, 253
Oulton, M.R. 77, 193

Palestini, P. 77, 253
Paltauf, F. 77, 25
Parra, J.L. 77, 79
Pavia, A.A. 77, 225
Pitto, M. 77, 253
Polidori, A. 77, 225
Pomorski, T. 77, 139
Pucci, B. 77, 225

Ragunathan, K.G. 77, 13
Rahmatullah, M.S.K.S. 77, 179
Reiss, J.G. 77, 225
Riedl, I. 77, 147

Santaella, C. 77, 173
Schmitt, J.D. 77, 131
Scott, J.E. 77, 193
Sonnino, S. 77, 41, 253
Spiteller, G. 77, 113

Tanikawa, S. 77, 121

Ulrich, R.G. 77, 51

Vierling, P. 77, 173

Waite, M. 77, 131
Wykle, R.L. 77, 131

Xie, X. 77, 99

Zachowski, A. 77, 139
Zamora, R. 77, 1
Zarif, L. 77, 225
Zhang, J.-H. 77, 99
Zhu, X.X. 77, 261
Zimmermann, B. 77, 139

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

ELSEVIER

Chemistry and Physics of Lipids
77 (1995) 271–274

Chemistry and Physics of LIPIDS

Subject index

Volume 77 (1995)

Acetylenic; ^{1}H-NMR; Saturated; (*Z*)-ethylenic; (*E*)-ethylenic; Unsaturated; Triacylglycerols; Triglycerides **77**, 155

Amino acids; Synthetic glycolipids; Amphiphiles; Telomers; Vesicles; Fibers; Tubules; Electron microscopy **77**, 225

Amphiphiles; Synthetic glycolipids; Amino acids; Telomers; Vesicles; Fibers; Tubules; Electron microscopy **77**, 225

Anomalous derivatizations; 11-dehydrothromboxane B_2; Thromboxane metabolite; Chemical behavior; Electron ionization; Mass spectrometry **77**, 33

Antioxidants; Low density lipoprotein; LDL; Lipid peroxidation; Plasmalogens **77**, 25

Bile acids; Stereoselective synthesis; Cholic acid derivatives **77**, 261

Bovine serum albumin; *E*-2-octenal; Interactions; Lipid peroxidation **77**, 217

Carbonyl-amine reactions; Long-chain pyrrole fatty esters; Long-chain furanoid fatty acids; Oxidized lipids/amino acids reactions; Lipid peroxidation products; Non-enzymatic browning reactions **77**, 1

Ceramide; Polymorphism; Cholesterol-3-sulfate; Hydrogen bond **77**, 121

Chemical behavior; 11-dehydrothromboxane B_2; Thromboxane metabolite; Anomalous derivatizations; Electron ionization; Mass spectrometry **77**, 33

Chloroform gel; Serine amphiphiles; Histidine amphiphiles; 1-yne moiety; Helical ribbons; Tubules; Multilamellar spherical structures **77**, 13

Cholesterol-3-sulfate; Ceramide; Polymorphism; Hydrogen bond **77**, 121

Cholesteryl ester transfer protein; Lipid transfer protein; Continuous recording fluorescence assay; Microemulsions; Donor/acceptor Apolipoproteins **77**, 51

Cholic acid derivatives; Stereoselective synthesis; Bile acids **77**, 261

^{13}C-NMR spectroscopy; Rational functions; Triacylglycerols; Unsaturation **77**, 187

Continuous recording fluorescence assay; Cholesteryl ester transfer protein; Lipid transfer protein; Microemulsions; Donor/acceptor Apolipoproteins **77**, 51

Crystal structure; (1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; (1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; X-ray; Molecular packing; Nonionic amphiphile **77**, 99

11-dehydrothromboxane B_2; Thromboxane metabolite; Chemical behavior; Anomalous derivatizations; Electron ionization; Mass spectrometry **77**, 33

Digalactosyl diacylglycerol; Monogalactosyl diacylglycerol; Sulfoquinovosyl diacylglycerol; *sn*-1/*sn*-2 position; Hexadecatrienoic acid; Octadecatetraenoic acid **77**, 147

Dithionite; Phospholipid asymmetry; Transverse movement; Fluorescence assay **77**, 139

Donor/acceptor Apolipoproteins; Cholesteryl ester transfer protein; Lipid transfer protein; Continuous recording fluorescence assay; Microemulsions **77**, 51

Electron ionization; 11-dehydrothromboxane B_2; Thromboxane metabolite; Chemical behavior; Anomalous derivatizations; Mass spectrometry **77**, 33

Electron microscopy; Synthetic glycolipids; Amino acids; Amphiphiles; Telomers; Vesicles; Fibers; Tubules **77**, 225

Effective surfactant/phospholipid molar ratios; omide surfactants; Interaction liposome/decyl, dodecyl and tetradecyl-pyridinium bromide surfactants; Light-scattering changes; Light-scattering changes; Partition coefficients **77**, 79

(*E*)-ethylenic; ^{1}H-NMR; Saturated; Acetylenic; (*Z*)-ethylenic; Unsaturated; Triacylglycerols; Triglycerides **77**, 155

0009-3084/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

(Z)-ethylenic; ^{1}H-NMR; Saturated; Acetylenic; (*E*)-ethylenic; Unsaturated; Triacylglycerols; Triglycerides **77**, 155

Fatty ester; 1-Pyrroline; *N*-substituted pyrrolinium; *N*-substituted pyrrolidine **77**, 179

Fibers; Synthetic glycolipids; Amino acids; Amphiphiles; Telomers; Vesicles; Tubules; Electron microscopy **77**, 225

Fluidity; Fluorinated phosphatidylcholine; Membrane; Liposome; Mobility; Fluorescence anisotropy **77**, 173

Fluorescence anisotropy; Fluorinated phosphatidylcholine; Membrane; Liposome; Fluidity; Mobility **77**, 173

Fluorescence assay; Phospholipid asymmetry; Transverse movement; Dithionite **77**, 139

Fluorinated phosphatidylcholine; Membrane; Liposome; Fluidity; Mobility; Fluorescence anisotropy **77**, 173

Ganglioside aggregates; Gangliosides; Ganglioside derivatives; Light-scattering; NMR **77**, 41

Ganglioside derivatives; Gangliosides; Ganglioside aggregates; Light-scattering; NMR **77**, 41

Ganglioside GM3; Pyrene; Transfer **77**, 253

Gangliosides; Ganglioside derivatives; Ganglioside aggregates; Light-scattering; NMR **77**, 41

Helical ribbons; Serine amphiphiles; Histidine amphiphiles; 1-yne moiety; Chloroform gel; Tubules; Multilamellar spherical structures **77**, 13

(1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; (1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; X-ray; Crystal structure; Molecular packing; Nonionic amphiphile **77**, 99

(1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; (1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; X-ray; Crystal structure; Molecular packing; Nonionic amphiphile **77**, 99

Hexadecatrienoic acid; Monogalactosyl diacylglycerol; Digalactosyl diacylglycerol; Sulfoquinovosyl diacylglycerol; *sn*-1/*sn*-2 position; Octadecatetraenoic acid **77**, 147

Histidine amphiphiles; Serine amphiphiles; 1-yne moiety; Chloroform gel; Helical ribbons; Tubules; Multilamellar spherical structures **77**, 13

^{1}H-NMR; Saturated; Acetylenic; (*Z*)-ethylenic; (*E*)-ethylenic; Unsaturated; Triacylglycerols; Triglycerides **77**, 155

Hydrogen bond; Ceramide; Polymorphism; Cholesterol-3-sulfate **77**, 121

(n-1)-Hydroxy-n-oxo acids; Oxidative stress; Short-chain α-hydroxyaldehydes; Quantification **77**, 113

Infrared spectroscopy; Surfactant; Lung **77**, 193

Interaction liposome/decyl, dodecyl and tetradecyl-pyridinium bromide surfactants; Liposome solubilization; Light-scattering changes; Effective surfactant/phospholipid molar ratios; Partition coefficients **77**, 79

Interactions; Bovine serum albumin; *E*-2-octenal; Lipid peroxidation **77**, 217

LDL; Low density lipoprotein; Lipid peroxidation; Plasmalogens; Antioxidants **77**, 25

Light-scattering; Gangliosides; Ganglioside derivatives; Ganglioside aggregates; NMR **77**, 41

Light-scattering changes; Liposome solubilization; Interaction liposome/decyl, dodecyl and tetradecyl-pyridinium bromide surfactants; Effective surfactant/phospholipid molar ratios; Effective surfactant/phospholipid molar ratios; Partition coefficients **77**, 79

Lipid peroxidation; Bovine serum albumin; *E*-2-octenal; Interactions **77**, 217

Lipid peroxidation; Low density lipoprotein; LDL; Plasmalogens; Antioxidants **77**, 25

Lipid peroxidation products; Long-chain pyrrole fatty esters; Long-chain furanoid fatty acids; Carbonyl-amine reactions; Oxidized lipids/amino acids reactions; Non-enzymatic browning reactions **77**, 1

Lipid transfer protein; Cholesteryl ester transfer protein; Continuous recording fluorescence assay; Microemulsions; Donor/acceptor Apolipoproteins **77**, 51

Liposome; Fluorinated phosphatidylcholine; Membrane; Fluidity; Mobility; Fluorescence anisotropy **77**, 173

Liposome solubilization; Interaction liposome/decyl, dodecyl and tetradecyl-pyridinium bromide surfactants; Light-scattering changes; Light-scattering changes; Effective surfactant/phospholipid molar ratios; Partition coefficients **77**, 79

Long-chain furanoid fatty acids; Long-chain pyrrole fatty esters; Carbonyl-amine reactions; Oxidized lipids/amino acids reactions; Lipid peroxidation products; Non-enzymatic browning reactions **77**, 1

Long-chain pyrrole fatty esters; Long-chain furanoid fatty acids; Carbonyl-amine reactions; Oxidized lipids/amino acids reactions; Lipid peroxidation products; Non-enzymatic browning reactions **77**, 1

Low density lipoprotein; LDL; Lipid peroxidation; Plasmalogens; Antioxidants **77**, 25

Lung; Surfactant; Infrared spectroscopy **77**, 193

Mass spectrometry; 11-dehydrothromboxane B_2; Thromboxane metabolite; Chemical behavior; Anomalous derivatizations; Electron ionization **77**, 33

Membrane; Fluorinated phosphatidylcholine; Liposome; Fluidity; Mobility; Fluorescence anisotropy **77**, 173

Membrane capacitance; Membrane permeability; Membrane stability; Phospholipid bilayer; Transmembrane electrical potential; Undecaprenyl phosphate **77**, 89

Membrane permeability; Membrane capacitance; Membrane stability; Phospholipid bilayer; Transmembrane electrical potential; Undecaprenyl phosphate **77**, 89

Membrane stability; Membrane capacitance; Membrane permeability; Phospholipid bilayer; Transmembrane electrical potential; Undecaprenyl phosphate **77**, 89

Microemulsions; Cholesteryl ester transfer protein; Lipid transfer protein; Continuous recording fluorescence assay; Donor/acceptor Apolipoproteins **77**, 51

Mobility; Fluorinated phosphatidylcholine; Membrane; Liposome; Fluidity; Fluorescence anisotropy **77**, 173

Molecular packing; (1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; (1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo-[3.2.1]octane; X-ray; Crystal structure; Nonionic amphiphile **77**, 99

Monogalactosyl diacylglycerol; Digalactosyl diacylglycerol; Sulfoquinovosyl diacylglycerol; *sn*-1/*sn*-2 position; Hexadecatrienoic acid; Octadecatetraenoic acid **77**, 147

Multilamellar spherical structures; Serine amphiphiles; Histidine amphiphiles; 1-yne moiety; Chloroform gel; Helical ribbons; Tubules **77**, 13

NMR; Gangliosides; Ganglioside derivatives; Ganglioside aggregates; Light-scattering **77**, 41

Non-enzymatic browning reactions; Long-chain pyrrole fatty esters; Long-chain furanoid fatty acids; Carbonyl-amine reactions; Oxidized lipids/amino acids reactions; Lipid peroxidation products **77**, 1

Nonionic amphiphile; (1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane;(1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo-[3.2.1]octane; X-ray; Crystal structure; Molecular packing **77**, 99

Octadecatetraenoic acid; Monogalactosyl diacylglycerol; Digalactosyl diacylglycerol; Sulfoquinovosyl diacylglycerol; *sn*-1/*sn*-2 position; Hexadecatrienoic acid **77**, 147

***E*-2-octenal**; Bovine serum albumin; Interactions; Lipid peroxidation **77**, 217y

Oxidative stress; Short-chain α-hydroxyaldehydes; Quantification; (n-1)-Hydroxy-n-oxo acids **77**, 113

Oxidized lipids/amino acids reactions; Long-chain pyrrole fatty esters; Long-chain furanoid fatty acids; Carbonyl-amine reactions; Lipid peroxidation products; Non-enzymatic browning reactions **77**, 1

Partition coefficients; Liposome solubilization; Interaction liposome/decyl, dodecyl and tetradecyl-pyridinium bromide surfactants; Light-scattering changes; Light-scattering changes; Effective surfactant/phospholipid molar ratios **77**, 79

Phosphatidylglycerol; Phospholipids; Radiosynthesis; Tritiation **77**, 131

Phospholipid asymmetry; Transverse movement; Fluorescence assay; Dithionite **77**, 139

Phospholipid bilayer; Membrane capacitance; Membrane permeability; Membrane stability; Transmembrane electrical potential; Undecaprenyl phosphate **77**, 89

Phospholipid bilayer; Membrane capacitance; Membrane permeability; Membrane stability; Transmembrane electrical potential; Undecaprenyl phosphate **77**, 89

Phospholipids; Radiosynthesis; Phosphatidylglycerol; Tritiation **77**, 131

Plasmalogens; Low density lipoprotein; LDL; Lipid peroxidation; Antioxidants **77**, 25

Polymorphism; Ceramide; Cholesterol-3-sulfate; Hydrogen bond **77**, 121

Pyrene; Ganglioside GM3; Transfer **77**, 253

1-Pyrroline; Fatty ester; *N*-substituted pyrrolinium; *N*-substituted pyrrolidine **77**, 179

Quantification; Oxidative stress; Short-chain α-hydroxyaldehydes; (n-1)-Hydroxy-n-oxo acids **77**, 113

Radiosynthesis; Phospholipids; Phosphatidylglycerol; Tritiation **77**, 131

Rational functions; ^{13}C-NMR spectroscopy; Triacylglycerols; Unsaturation **77**, 187

Saturated; ^{1}H-NMR; Acetylenic; (*Z*)-ethylenic; (*E*)-ethylenic; Unsaturated; Triacylglycerols; Triglycerides **77**, 155

Serine amphiphiles; Histidine amphiphiles; 1-yne moiety; Chloroform gel; Helical ribbons; Tubules; Multilamellar spherical structures **77**, 13

Short-chain α-hydroxyaldehydes; Oxidative stress; Quantification; (*n*-1)-Hydroxy-*n*-oxo acids **77**, 113

sn-1/sn-2 position; Monogalactosyl diacylglycerol; Digalactosyl diacylglycerol; Sulfoquinovosyl diacylglycerol; Hexadecatrienoic acid; Octadecatetraenoic acid **77**, 147

Stereoselective synthesis; Cholic acid derivatives; Bile acids **77**, 261

***N*-substituted pyrrolidine**; Fatty ester; 1-Pyrroline; *N*-substituted pyrrolinium **77**, 179

***N*-substituted pyrrolinium**; Fatty ester; 1-Pyrroline; *N*-substituted pyrrolidine **77**, 179

Sulfoquinovosyl diacylglycerol; Monogalactosyl diacylglycerol; Digalactosyl diacylglycerol; *sn*-1/*sn*-2 position; Hexadecatrienoic acid; Octadecatetraenoic acid **77**, 147

Surfactant; Infrared spectroscopy; Lung **77**, 193

Synthetic glycolipids; Amino acids; Amphiphiles; Telomers; Vesicles; Fibers; Tubules; Electron microscopy **77**, 225

Telomers; Synthetic glycolipids; Amino acids; Amphiphiles; Vesicles; Fibers; Tubules; Electron microscopy **77**, 225

Thromboxane metabolite; 11-dehydrothromboxane B_2; Chemical behavior; Anomalous derivatizations; Electron ionization; Mass spectrometry **77**, 33

Transfer; Pyrene; Ganglioside GM3 **77**, 253

Transmembrane electrical potential; Membrane capacitance; Membrane permeability; Membrane stability; Phospholipid bilayer; Undecaprenyl phosphate **77**, 89

Transmembrane electrical potential; Membrane capacitance; Membrane permeability; Membrane stability; Phospholipid bilayer; Undecaprenyl phosphate **77**, 89

Transverse movement; Phospholipid asymmetry; Fluorescence assay; Dithionite **77**, 139

Triacylglycerols; ^{13}C-NMR spectroscopy; Rational functions; Unsaturation **77**, 187

Triacylglycerols; ^{1}H-NMR; Saturated; Acetylenic; (*Z*)-ethylenic; (*E*)-ethylenic; Unsaturated; Triglycerides **77**, 155

Triglycerides; ^{1}H-NMR; Saturated; Acetylenic; (*Z*)-ethylenic; (*E*)-ethylenic; Unsaturated; Triacylglycerols **77**, 155

Tritiation; Phospholipids; Radiosynthesis; Phosphatidylglycerol **77**, 131

Tubules; Serine amphiphiles; Histidine amphiphiles; 1-yne moiety; Chloroform gel; Helical ribbons; Multilamellar spherical structures **77**, 13

Tubules; Synthetic glycolipids; Amino acids; Amphiphiles; Telomers; Vesicles; Fibers; Electron microscopy **77**, 225

Undecaprenyl phosphate; Membrane capacitance; Membrane permeability; Membrane stability; Phospholipid bilayer; Transmembrane electrical potential **77**, 89

Undecaprenyl phosphate; Membrane capacitance; Membrane permeability; Membrane stability; Phospholipid bilayer; Transmembrane electrical potential **77**, 89

Unsaturated; ^{1}H-NMR; Saturated; Acetylenic; (*Z*)-ethylenic; (*E*)-ethylenic; Triacylglycerols; Triglycerides **77**, 155

Unsaturation; ^{13}C-NMR spectroscopy; Rational functions; Triacylglycerols **77**, 187

Vesicles; Synthetic glycolipids; Amino acids; Amphiphiles; Telomers; Fibers; Tubules; Electron microscopy **77**, 225

X-ray; (1*R*,4*R*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; (1*R*,4*S*,5*S*)-4-heptadecyl-3,6,8-trioxabicyclo[3.2.1]octane; Crystal structure; Molecular packing; Nonionic amphiphile **77**, 99

1-yne moiety; Serine amphiphiles; Histidine amphiphiles; Chloroform gel; Helical ribbons; Tubules; Multilamellar spherical structures **77**, 13